

NRNT2.E141946 Switches, Industrial Control - Component

If you notice a change to your NRNT2 Listing Card, click here to learn more.

Page Bottom

Switches, Industrial Control - Component

See General Information for Switches, Industrial Control - Component

AUTONICS CORP F141946

18 BANSONG-RO 513BEON-GIL HAEUNDAE-GU BUSAN, 48002 REPUBLIC OF KOREA

Investigated to ANSI/UL 508

Analog Timer Relay Model(s) ATS, followed by 8 or 11, followed by W, SD or Blank, followed by -1, -2, or -4, followed by 1, 3 or blank, followed

ATS, followed by 8, followed by P, followed by -2, -5, or -6, followed by S, or M

Counters and timers Model(s) CT, followed by 4 or 6, followed by Y, S or M, followed by -2P, -I or 1P, followed by 2 or 4, followed by T or Blank FX, followed by 4, 5 or 6, followed by Y, S, H, L or blank, followed by -I, -2P or blank

Industrial Control Switch, Analog Timer Relay Model(s) AT8PMN, AT8PMN-2, AT8PMN-6, AT8PMN-7, AT8PSN, AT8PSN-6, AT8PSN-6, AT8PMN-7, AT8PSN-7, AT8PSN-8, AT8PSN-6, AT8PMN-8, AT8PM

Timers Model(s) AT11D, AT11DN, AT11DN-1, AT11DN-2, AT11E, AT11EN, AT11EN-1, AT11EN-2, AT8A, AT8B, AT8N, AT8N-1, AT8N-2, AT8SDN, LE365S-41, LE3S, LE3SA, LE3SB, LE4S, LE4SA, LE7D-2, LE7M-2

'SR1 Series" Model(s) Switches, Solid-State Relays for Use in Industrial Control Equipment, SR1 Series, Model SR1 followed by -1 or -4, followed by 2 or 4, followed by 15, 25, 40, 50 or 75, maybe followed by R.

"SRC1 Series" Model(s) Switches, Solid-State Relays for Use in Industrial Control Equipment, SRC1 Series, Model SRC1 followed by -1 or -4, followed by 2 or 4, followed by 15, 20 or 30, maybe followed by R.

'SRH1 Series" Model(s) Switches, Solid-State Relays for Use in Industrial Control Equipment, SRH1 Series, Model SRH1 followed by -1, -2 or -4, followed by 2 or 4, followed by 15, 20, 30, 40 or 60, maybe followed by R.

"SRPH1 Series" Model(s) Switches, , Solid-State Relays for Use in Industrial Control Equipment, SRPH1 Series, Model SRPH1 followed by -A, followed by 2 or 4, followed by 20, 30 or 60.

"SRS1 Series" Model(s) Switches, Solid-State Relays for Use in Industrial Control Equipment, SRS1 Series, Model SRS1 followed by -A, followed by 1, followed by 2, D1, D2 or X2, followed by 01, 02, 03 or 05, followed by R or Blank.

Switches, Solid-State Relays for Use in Industrial Control Equipment, SRS1 Series, Model SRS1 followed by -B, followed by 1, followed by 2, followed by 02, 03 or 05, followed by R or Blank, followed by -1 or -2.

Switches, Solid-State Relays for Use in Industrial Control Equipment, SRS1 Series, Model SRS1 followed by 1, followed by 2, followed by 02 or 03, followed by R or Blank, followed by -1 or -2.

Model(s) Begin Push Button Switches - Type S, followed by 16, followed by BR, followed by ?-?, followed by H, followed by 1 or 3, followed by R or G, maybe followed by C, 2C or 3C, followed by 5, 12, 24 or Blank.

Model(s) Contact Block? Type SA, followed by 16, followed by ?-?, followed by CB, followed by CC.

Model(s) Key Selector Switches - Type S, followed by 16, followed by KR, followed by S, T or Blank, followed by ?-?, followed by 1, 2, 3, 4, 5 or 6, followed by A, B, C, D, E, F or G, followed by K, maybe followed by C or 2C.

Model(s) LED Block ? Type SA, followed by 16, followed by ?-?, followed by L, followed by 5, 12 or 24, followed by R, B, G, Y or W.

Model(s) Pilot Lamps - Type L, followed by 16, followed by RR, followed by S, T or Blank, followed by ?-?, followed by E or H, followed by R, B, G, Y or W, maybe followed by 5, 12 or 24. 3, followed by R, maybe followed by B or 2B, followed by 5, 12, 24 or Blank

Model(s) Push Button Switches - Type S, followed by 16, followed by PR, followed by S, T or Blank, followed by ?-?, followed by E or H, followed by 1, 2, 3 or 4, followed by R, B, G, Y or W, maybe followed by C, 2C or 3C, followed by 5, 12, 24 or Blank

Model(s) Push lock, turn or pull reset button Switches - Type S, followed by 16, followed by ER, followed by ?-?, followed by E, followed by 1 or 3, followed by R, maybe followed by B or 2B, followed by 5, 12, 24 or Blank.

Model(s) Selector Switches - Type S, followed by 16, followed by SR, followed by S, T or Blank, followed by ?-?, followed by S or L, followed by 1, 2, 3, 4, 5 or 6, followed by R, B, G, Y or W, maybe followed by C or 2C, followed by 5, 12, 24 or Blank.

Model(s) Switches, Solid-State Relays for Use in Industrial Control Equipment, SRS1 Series, Model SRS1-C1202-2, SRS1-C1202R-2, SRS1-C1203-1, SRS1-C1203R-1, SRS1-C1205-1, SRS1-C1205R-1, SRS1-C1D102-1 and SRS1-C1X201-1

Marking: Company name or trademark which the product is packaged. Last Updated on 2017-03-28

Autonics and model designation on the product or on the smallest unit container in

Questions? Print this page Terms of Use Page Top

♦ 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".